

Shenzhen BST Technology Co., Ltd.

Report No.: BST18051029170002Y-1LR-2

MSDS

MATERIAL SAFETY DATA SHEET

Sample Description & Model	POWER BANK GK01024PBB0526
Applicant	SUPREME LABEL INDUSTRIAL LIMITED
Address	ROOM 1112, 11/F, BLOCK C , HONG KONG INDUSTRIAL CENTRE,489-491 CASTLE PEAK ROAD, CHEUNG SHA WAN, KOWLOON, HONG KONG
Issue date	2018-05-28

Written by:

)aybrech

Approved by:

Ne

Add: Building No.23-24, Zhiheng Industrial Park,Guankouer Road,Nantou,Nanshan District,Shenzhen,Guangdong,China Certificate Search: http://www.bst-lab.com, Tel: 400-882-9628, 8009990305, E-mail: christina@bst-lab.com

Section 1-	Chemical	Product and Co	mpany Identification		
Product Name	POWER BANK				
Model	GK01024PBB0526				
Ratings	5.0V 5200mAh, 26.0Wh				
Weight	117.2g				
Manufacturer					
Manufacturer address	Floor 9, building A, xinyongsheng science and technology park, no. 36, shanmen third industrial zone, songgang street, bao 'an district, shenzhen				
Emergency Telephone	24051228				
Fax	-				
	Section	n 2- Composition	n Information		
Chemical Composition	Chemi	cal Formula	CAS No.	Weight (%)	
Lithium cobaltate		LiCoO ₂	12190-79-3	15 - 40	
Graphite		C24X12	7782-42-5	10 - 30	
Phosphate(1-), hexafluoro-, lithium		LiPF ₆	21324-40-3	10 - 30	
Copper		Cu	7440-50-8	7-13	
Aluminium		AI	7429-90-5	5-10	
Nickel		Ni	7440-02-0	1-5	
	Sect	ion 3- Hazards I	dentification		
Emergency overview:		N/A			
Classification according to GHS		Not a dangerous substance according to GHS			
Label elements:					
Hazard pictogram(s)	Hazard pictogram(s)		No available		
Signal word		No available			
Hazard statement(s)		No available			
Precautionary statement(s):					
Prevention		No available			
Response		No available			
Disposal		No available			

Add: Building No.23-24, Zhiheng Industrial Park, Guankouer Road, Nantou, Nanshan District, Shenzhen, Guangdong, China

Environmental hazards:	No relevant information
Important symptoms:	See section 11 for more information
	Section 4- First Aid Measures
Eye contact	Flush eyes with plenty of water for least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.
Skin contact	Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid.
Inhalation	Remove from exposure and move to fresh air immediately. Use oxygen if available.
Ingestion	Give at least 2 glasses of milk or water. Induce vomiting unless patient is unconscious. Call a physician.
Se	ection 5- Fire Fighting Measures
Flash Point	N/A
Auto-Ignition Temperature	N/A
Extinguishing Media	Water, CO ₂
Special Fire-Fighting Procedures	Self-contained breathing apparatus
Unusual Fire and Explosion Hazards	Cell may vent when subjected to excessive heat-exposing battery contents
Hazardous Combustion Products	Carbon monoxide, carbon dioxide, lithium oxide fumes.

Carbon monoxide, carbon dioxide, lithium oxide tumes.

Section 6- Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

If the battery is released, remove personnel from area until fumes dissipate. Provide maximum ventilation to clear out hazardous gases. The preferred response is to leave the area and allow the vapors to dissipate. Avoid skin and eyes contact or inhalation of vapors. Remove spilled liquid with absorbent and incinerated. If leakage of the battery happens, liquid could be absorbed wit sand, earth or other inert substance and contaminated area should be ventilated meantime.

Environment precautions:

Do not allow product to reach sewage system or any water source. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

If battery casing is dismantled, small amounts of electrolyte may leak. Collect all released material in a plastic lined container. Dispose off according to the local law and rules. Avoid leached substances to get into the earth, canalization or waters.

Add: Building No.23-24, Zhiheng Industrial Park, Guankouer Road, Nantou, Nanshan District, Shenzhen, Guangdong, China

Odour

Flash Point

Melting point/freezing point

Boiling Point and Boiling range

pН

Sect	ion 7- Handling and Storage	
Handling	The battery should not be opened, destroyed or incinerate, since they may leak or rupture and release to the environment the ingredients that they contain in the hermetically sealed container. Do not short circuit terminals, or over charge the battery, forced over-discharge, throw to fire. Do not crush or puncture the battery, or immerse in liquids. Avoid mechanical or electrical abuse. Storage preferably in cool, dry and	
Storage	ventilated area, which is subject to little temperature change. Storage at high temperatures should be avoided. Do not place the battery near heating equipment, nor expose to direct sunlight for long periods.	
Other Precautions	The battery may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.	
Section 8- Expo	osure Controls/Personal Protection	
Engineering Controls	Use local exhaust ventilation or other engineering controls to control sources of dust, mist, fumes and vapor. Keep away from heat and open flame. Store in a cool, dry place.	
Personal Protective Equipment	Respiratory Protection: Not necessary under normal conditions. Skin and body Protection: Not necessary under normal conditions, Wear suitable protective clothing and gloves if handling an open or leaking battery. Hand protection: Wear suitable gloves if handling an open or leaking battery. Eye Protection: Not necessary under normal conditions, Wear safety glasses if handling an open or leaking battery.	
Other Protective Equipment	Have a safety shower and eye wash fountain readily available in the immediate work area.	
Hygiene Measures	Do not eat, drink, or smoke in work area. Maintain good housekeeping.	
Section 9- P	Section 9- Physical and Chemical Properties	
Form	Prismatic	
Color	Black	

Certificate Search: http://www.bst-lab.com, Tel: 400-882-9628, 8009990305, E-mail: christina@bst-lab.com

No available

No available

No available

No available

No available

Upper/lower flammability or explosive limits	No available
Vapor Pressure	No available
Vapor Density	No available
Relative density	No available
Solubility in Water	No available
Auto-ignition temperature	No available
Decomposition temperature	No available
Evaporation rate	No available
Flammability (soil, gas)	No available
Viscosity	No available
Se	ection 10- Stability and reactivity
Stability	The product is stable under conditions described Section 7
Conditions to Avoid	Heat above 70°C or incinerate. Deform, Mutilate, Crush, Disassemble, Overcharge, Short circuit, Expose over a long period to humid conditions.
Incompatible Materials	Oxidizing agents, acid, base.
Hazardous Decomposition Products	Carbon monoxide, carbon dioxide, lithium oxide fumes.
Possibility of Hazardous Reaction	Not Available
Section	on 11 – Toxicological Information
Irritation	Risk of irritation occurs only if the cell is mechanically, thermally or electrically abused to the point of compromising the enclosure. If this occurs, irritation to the skin, eyes and respiratory tract may occur.
Sensitization	Not Available
Neurological Effects	Not Available
Teratogenicity	Not Available
Reproductive Toxicity	Not Available
Mutagenicity (Genetic Effects)	Not Available
Toxicologically Synergistic Materials	Not Available
Se	ction 12- Ecological Information

Add: Building No.23-24, Zhiheng Industrial Park, Guankouer Road, Nantou, Nanshan District, Shenzhen, Guangdong, China

Ecological Toxicity	Not Available
Mobility in soil	Not Available
Persistence and Degradability	Not Available
Bioaccumulation potential	Not Available
Other Adverse Effects	Not Available
Section	n 13- Disposal Considerations
Product disposal recommendation	Observe local, state and federal laws and regulations.
Uncleaned packaging recommendation	Disposal must be made according to official regulations
Sectio	on 14 – Transport Information
Label for conveyance	Lithium Battery Label
UN Number	UN 3480
Transport hazard class(es)	9
Packing group	
Marine pollutant	No
UN Proper shipping name	Lithium ion Batteries
and Criteria, Part II, subsection 38.3. The goods shall be complied with the red IATA or special provision 188 of IMDG C Separate Lithium-ion batteries when ship	4PBB0526) istested and has passed in accordance with UN manual of Tests quirements of Section IB of Packing Instruction 965 of 59th DGR Manual of ODE (Amdt.38-16). oping to prevent short-circuiting. They should be packed in strong packaging he goods will not falling, dropping, and breakage,Prevent colla pse of
Transport Fashion: By air, by sea, by rail	lway, by road.
Sectio	on 15- Regulatory information
Law information 《Dangerous Goods Regulations》	angerous Goods Model Regulations》

《The Oil Pollution Act》(OPA) 《Superfund Amendments and Reauthorization Act Title III (302/311/312/313)》(SARA) 《Resource Conservation and Recovery Act》(RCRA) 《Safety Drinking Water Act》(CWA) 《California Proposition 65》 《Code of Federal Regulations》(CFR) In according with all Federal, State and local laws.

Section 16- Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, concorde makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation. This material safety data sheet provides guidelines for the safe handling and use of this product; it does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required.

-- End of Report--

Add: Building No.23-24, Zhiheng Industrial Park,Guankouer Road,Nantou,Nanshan District,Shenzhen,Guangdong,China Certificate Search: http://www.bst-lab.com, Tel: 400-882-9628, 8009990305, E-mail: christina@bst-lab.com